

veramis™

PORCELAIN TILES



TRENDBOOK




Q U A L I T Y P O R C E L A I N T I L E S

TRENDBOOK

VERAMIS TRENDBOOK is a careful selection of our nature-inspired collections: marble, stone, cement, wood and terrazzo. With a variety of formats, our tiles can be used on floor and walls both interior and exterior applications.

veramis
PORCELAIN TILES





I N D E X
P R O D U C T



MARBLE

CARRARA

Page_8

EBONY

Page_12

REGAL

Page_18

ROSSO

Page_22

AZUL

Page_23

ONYX ROYALE

Page_24

MARMOL NERO

Page_27

EMERALD

Page_30

CALACATTA

Page_33

ESPRESSO

Page_34

TRAVERTINO

Page_37



STONE

EKO

Page_40

IBU

Page_46

RIVER

Page_60

SMOKE

Page_66



CONCRETE

PEEBLE


Page_74



WOOD

IKOYI

Page_82



TERRAZZO

TERRAZZO

Page_92



COLOR

ZED

Page_98

LUC

Page_102

HEX

Page_106

RELIEF

Page_110

BASE

Page_114



MARBLE

SERIES

CARRARA
EBONY
REGAL
ROSSO
AZUL
ONIX ROYALE
MARMOL NERO
EMERALD
CALACATTA
ESPRESSO
TRAVERTINO




CARRARA

WALL TILE: RIVER GREY 60X60 · FLOOR TILE: CARRARA WHITE 60X60


CARRARA
PORCELAIN TILE · RECTIFIED · GLOSS & MATT FINISH



FORMATS



60X120cm



60X60cm



30X60cm

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm



WALL TILE: CARRARA 30X60-FLOOR TILE: CARRARA 60X60




E B O N Y

FLOOR TILE: EBONY LIGHT 60X60


EBONY CREAM
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X120cm



60X60cm



30X60cm

COLORS AVAILABLE



LIGHT



GREY



BROWN


TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm


EBONY LIGHT
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X120cm



60X60cm



30X60cm

COLORS AVAILABLE



CREAM



BROWN



GREY


TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

EBONY GREY
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



COLORS AVAILABLE




TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

EBONY BROWN
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



COLORS AVAILABLE



TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm




REGAL

WALL TILE: REGAL 60X120 & IKOYI BROWN 20X120 · FLOOR TILE: REGAL 60X120


REGAL
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X120cm



60X60cm



30X60cm

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm



FLOOR & WALL TILE: REGAL 60X120




ONYX ROYALE

FLOOR & WALL TILE: ONYX ROYALE 60X120

ONYX ROYALE
PORCELAIN TILE · RECTIFIED · MATT FINISH




FORMATS




TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

MARMOL NERO
PORCELAIN TILE · RECTIFIED · MATT FINISH




FORMATS



TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm



M A R M O L N E R O

WALL TILE: CALACATTA IVORY 60X120 · FLOOR TILE: MARMOL NERO 60X120



EMERALD


WALL TILE: EMERALD 60X120 · FLOOR TILE: CALACATTA 60X120

EMERALD
PORCELAIN TILE · RECTIFIED · MATT FINISH

P



FORMATS



TECHNICAL SPECS


Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

CALACATTA
PORCELAIN TILE · RECTIFIED · MATT FINISH

P




FORMATS



TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm




E S P R E S S O

WALL TILE: **ESPRESSO** 60X120 · FLOOR TILE: **TRAVERTINO** 60X120

ESPRESSO
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS




TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

ROSSO
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS




TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

TRAVERTINO
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS




TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

AZUL
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm



STONE

SERIES

EKO
IBU
RIVER
SMOKE



E K O


WALL TILE: EKO WHITE 60X60 - FLOOR TILE: EKO GREY 60X60

EKO GREY
PORCELAIN TILE · RECTIFIED · MATT FINISH

P



FORMATS



COLORS AVAILABLE




TECHNICAL SPECS


Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

EKO SAND
PORCELAIN TILE · RECTIFIED · MATT FINISH

P



FORMATS



COLORS AVAILABLE



TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm




FLOOR TILE: **EKO GREY** 60X60

EKO WHITE
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



COLORS AVAILABLE



TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm



veramis

İLÚBİRİN

I B U

FLOOR TILE: IBU STEEL 60X60




IBU STEEL
PORCELAIN TILE · RECTIFIED · MATT FINISH


P



FORMATS



60X120cm



60X60cm



30X60cm

COLORS AVAILABLE



IVORY



BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm




FLOOR TILE: IBU STEEL 60X60


IBU IVORY
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



COLORS AVAILABLE




TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

IBU BROWN
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



COLORS AVAILABLE



TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm




FLOOR TILE: IBU IVORY 60X60 • CRISTAL IBU 60X120 • IKOYI BROWN 20X120

CRISTAL IBU
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS




TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

PETAL IBU
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS




TECHNICAL SPECS


Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

GEO IBU
PORCELAIN TILE · RECTIFIED · MATT FINISH

P



FORMATS



TECHNICAL SPECS


Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

MATRIX IBU
PORCELAIN TILE · RECTIFIED · MATT FINISH

P



FORMATS



TECHNICAL SPECS


Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm




RIVER

FLOOR TILE: RIVER GREY 60X60

RIVER GREY
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS




COLORS AVAILABLE




TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

RIVER ANTHRACITE
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS




COLORS AVAILABLE




TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm


RIVER SAND
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X120cm



60X60cm



30X60cm

COLORS AVAILABLE



ANTHRACITE



GREY




BROWN


TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm


RIVER BROWN
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X120cm



60X60cm



30X60cm

COLORS AVAILABLE



ANTHRACITE



GREY



SAND

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm




S M O K E

FLOOR TILE: SMOKE GREY 60X60


SMOKE BEIGE
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X120cm



60X60cm



30X60cm

COLORS AVAILABLE



GREY



BROWN


TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm


SMOKE GREY
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X120cm



60X60cm



30X60cm

COLORS AVAILABLE



BEIGE



BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm




FLOOR TILE: **SMOKE GREY** 60X60

SMOKE BROWN
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



COLORS AVAILABLE



TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

The background is a detailed, high-resolution image of a concrete surface. It features a light gray base color with a dense distribution of small, dark gray and black specks, as well as larger, irregularly shaped aggregates in shades of blue, green, and brown. The overall effect is a realistic, textured appearance. Overlaid on the left side of the image is a geometric logo consisting of two overlapping squares. The top square is slightly offset to the left and top, while the bottom square is slightly offset to the right and bottom. The text 'CONCRETE' is written in a large, bold, serif font across the middle of the top square. Below it, the word 'SERIES' is written in a smaller, all-caps, sans-serif font, centered within the bottom square.

CONCRETE

SERIES



P E B B L E

FLOOR TILE: PEEBLE GREY 60X60cm




FLOOR TILE: PEEBLE GREY 60X60cm

PEBBLE GREY
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



COLORS AVAILABLE




TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

PEBBLE SAND
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



COLORS AVAILABLE




GREY

BROWN


TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

PEBBLE BROWN
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



COLORS AVAILABLE



GREY


SAND

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

The background is a close-up, high-resolution image of a wood surface, showing natural grain patterns and textures in various shades of brown. Overlaid on the left side is a white geometric logo consisting of two overlapping squares. The word "WOOD" is written in a large, bold, white serif font, and the word "SERIES" is written in a smaller, white serif font directly below it.

WOOD
SERIES



IKOYI

WALL TILE: IKOYI BROWN 20X120cm

IKOYI NATURAL
PORCELAIN TILE · RECTIFIED · MATT FINISH



ENTIRE TILE DESIGN

FORMATS



20X120cm

COLORS AVAILABLE



BROWN

GREY

COGNAC

WHITE

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

IKOYI COGNAC
PORCELAIN TILE · RECTIFIED · MATT FINISH



ENTIRE TILE DESIGN

FORMATS



20X120cm

COLORS AVAILABLE



NATURAL

GREY

WHITE

BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

IKOYI BROWN
PORCELAIN TILE · RECTIFIED · MATT FINISH



ENTIRE TILE DESIGN

FORMATS



20X120cm

COLORS AVAILABLE



NATURAL



GREY



COGNAC



WHITE

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm



WALL TILE: IKOYI BROWN 20X120cm

IKOYI GREY
PORCELAIN TILE · RECTIFIED · MATT FINISH



ENTIRE TILE DESIGN

FORMATS



20X120cm

COLORS AVAILABLE



BROWN

NATURAL

COGNAC

WHITE

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

IKOYI WHITE
PORCELAIN TILE · RECTIFIED · MATT FINISH



ENTIRE TILE DESIGN

FORMATS



20X120cm

COLORS AVAILABLE



NATURAL

GREY

COGNAC

BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

The background is a terrazzo pattern with a light beige base and scattered chips of grey, black, brown, and blue stone. A logo consisting of two overlapping orange-outlined squares is positioned on the left side. The word "TERRAZZO" is written in a large, bold, orange serif font, and the word "SERIES" is written in a smaller, bold, orange sans-serif font below it.

TERRAZZO


SERIES




TERRAZZO

FLOOR TILE: TERRAZZO 60X120cm · WALL TILE: IKOYI NATURAL 20X120cm


TERRAZZO BROWN
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X120cm




60X60cm



30X60cm

COLORS AVAILABLE



ORIGEN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm


TERRAZZO
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X120cm




60X60cm



30X60cm

COLORS AVAILABLE



BEIGE

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm



ZED
LUC
HEX
RELIEF
BASE




Z E D

WALL TILE: **BASE & ZED WHITE** 30X60cm · FLOOR TILE: **EBONY LIGHT** 60X60cm



WALL TILE: **ZED WHITE** 30X60cm

ZED WHITE
PORCELAIN TILE · RECTIFIED · RELIEF



COLORS AVAILABLE



BEIGE



GREY


BASE COLORS



BASE BEIGE



BASE GRIS



BASE WHITE

FORMAT



30X60cm

TECHNICAL SPECS

Shade Variation : V1 Uniform
Thickness : 10 mm



L U C

WALL TILE: **BASE WHITE & LUC TAUPE** 30X60cm • FLOOR TILE: **BASE WHITE** 60X60cm

LUC BEIGE
PORCELAIN TILE · RECTIFIED · RELIEF



COLORS AVAILABLE



BASE COLORS



FORMAT




30X60cm

TECHNICAL SPECS

Shade Variation : V1 Uniform
Thickness : 10 mm



WALL TILE: LUC BEIGE30X60cm




H E X

WALL TILE: BASE WHITE & HEX GREY 30X60cm



WALL TILE: **HEX GREY** 30X60cm

HEX GREY
PORCELAIN TILE · RECTIFIED · RELIEF



COLORS AVAILABLE



BEIGE



WHITE

FORMAT



30X60cm

TECHNICAL SPECS

Shade Variation : V1 Uniform
Thickness : 10 mm


BASE COLORS



BASE BEIGE



BASE GRIS



BASE WHITE



R E L I E F

WALL TILE: RELIEF WHITE 30X60cm

RELIEF WHITE
PORCELAIN TILE · RECTIFIED · RELIEF



COLORS AVAILABLE



BEIGE



GREY


BASE COLORS



BASE BEIGE



BASE GRIS



BASE WHITE

FORMAT



30X60cm

TECHNICAL SPECS

Shade Variation : V1 Uniform
Thickness : 10 mm




WALL TILE: RELIEF WHITE 30X60cm




FLOOR TILE: **BASE WHITE** 60X60cm

BASE
PORCELAIN TILE · RECTIFIED · MATT FINISH




BASE WHITE 30x60cm




BASE BEIGE 30x60cm



BASE GREY 30x60cm



BASE WHITE 60x60cm



BASE WHITE 60x120cm

TECHNICAL SPECS

Shade Variation : V1 Uniform
Thickness : 10 mm

TECHNICAL FEATURES
Bla Group · Porcelain

STANDARD	TEST	ISO 13006:2018		VERAMIS VALUES
ISO 10545-2	Lenght and width	Deviation from manufacturing measure:	Rectified: ± 0.3% Máx 1mm	± 0.1%
	Thickness	Deviation from manufacturing measure:	± 5% Máx 0.5mm	± 5%
	Straightness of sides	Deviation from manufacturing measure:	Rectified: ± 0.3% Máx 0.8mm	± 0.1%
	Squareness	Deviation from manufacturing measure:	Rectified: ± 0.3% Máx 1.5mm	± 0.1%
	Surface flatness side curvaturecentral curvature-warpage	Deviation from manufacturing measure:	Rectified: ± 0.4% Máx 1.8mm	± 0.2%
ISO 10545-3	Water Absorption	Ev ≤ 0.5 %		Ev ≤ 0.5 %
ISO 10545-4	Module of rupture	≥ 35 N/mm²		≥ 35 N/mm²
	Breaking strenght	>1300 N		≥ 2000 N
ISO 10545-6	Resistance to abrasion	Class 1 to 5		Class 3 minimum
ISO 10545-8	Thermal expansion coefficient	Manufacturer to state results		≤ 9 x 10⁹ / °C
ISO 10545-9	Thermal shock resistance	Required		Resistant
ISO 10545-11	Crazing resistance	Required		Resistant
ISO 10545-12	Frost resistance	Required		Resistant
ISO 10545-13	Household detergents and acids for swimming-pools	Class B Min.		Class B Min.

ISO 10545-14	Resistance to staining	Class 3 Minimum	Class 3 Minimum
--------------	------------------------	-----------------	-----------------

SLIP RESISTANCE ACCORDING TO ANNEX B OF STANDARD
EN 16165:2022

Many European flooring manufacturers use tests like the ramp test to rate their products according to their slip resistance. These tests are generally conducted using Annex B of standard EN 16165: 2022. With this method, a person walks backwards and forwards on an impregnated ramp-type floor used as a test bench. The angle of the ramp is gradually increased until the person slips. The average angle at which the person slips is used to calculate the CoF (coefficient of friction). Annex B of EN 16165: 2022 uses safety boots and engine oil as a substance to impregnate the surface to be tested, which are described in the standard itself.

Ramp method (DIN 51130)	
Total mean value of slip angle	Rating
6° <= Angle <= 10°	R9
10° < Angle <= 19°	R10
19° < Angle <= 27°	R11
27° < Angle <= 35°	R12
35° <= Angle	R13

PACKING

SIZE	SQM/BOX	BOXES/PALET	SQM/PALLET	KG/PALET
30X60	1.44	54	77.76	1890
60X60	1.44	36	51.84	1270
20X120	1.44	48	69.12	1800
60X120	1.44	33	47.52	1260
40X80	1.28	64	81.92	2160
80X80	1.28	64	81.92	2160

ICON DEFINITION

PORCELAIN TILES

MATT FINISH

RELIEF

RECTIFIED

GLOSS FINISH

SHADE VARIATION VALUE

V1
UNIFORM

Non visible color variation.

V2
LIGHT

Light color variation.

V3
MODERATE

Moderate color variation.

V4
EXTENSIVE

Extensive color variation.

TRENDBOOK

VERAMIS reserves the right to amend and/or eliminate certain models featured in this catalogue without prior warning. The colours of the tiles may differ from the originals. The displays shown in this catalogue are design proposals for advertising purposes. When the material is used in real situations, the installation instructions published by VERAMIS should be followed.

VERAMIS reserves the right to change the characteristics of its products without prior notice. Information about the finishes of the goods is only provided as a guide. As a result of the printing techniques, there might be differences between the colours printed in this catalogue and those of the real products.

Colours shown in this catalogue are not contractual. The images are for illustration purpose only and are subject to the designers interpretation. This catalogue is for information purposes only. VERAMIS Tiles is a brand of Veenocks Limited.



SHOWROOM

33A Akin Adesola Street
Victoria Island, Lagos
+234 809 037 1913

FACTORY

Km 3.7 Sagamu-Abeokuta
Expressway, Industrial Scheme
Ogun State, Nigeria