

veramis[™]
PORCELAIN TILES

LAUNCHBOOK


Introducing VERAMIS by Veenocks:

Discover our exclusive Launchbook, showcasing a carefully curated selection of nature-inspired porcelain tile collections. Experience the elegant beauty of marble, the rugged charm of stone, and the modern aesthetic of concrete. Our tiles are available in formats for both flooring and wall applications, making them suitable for a wide range of interior and exterior spaces.






I N D E X P R O D U C T




MARBLE

EBONY
REGAL
CALACATTA
ONYX ROYALE




STONE

RIVER
SMOKE



CONCRETE

PEBBLE



BASE

WHITE
BEIGE
GREY



MARBLE
SERIES

EBONY
REGAL
CALACATTA
ONYX ROYALE



EBONY

FLOOR TILE: EBONY LIGHT 60X60cm


EBONY CREAM
PORCELAIN TILE · RECTIFIED · MATT FINISH



EBONY LIGHT
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X60cm
¥22,950



30X60cm
¥19,200



60X120cm
¥26,550

COLORS AVAILABLE



LIGHT

GREY

BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

FORMATS



60X60cm
¥22,950



30X60cm
¥19,200



60X120cm
¥26,550

COLORS AVAILABLE



CREAM

BROWN

GREY

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm


EBONY GREY
PORCELAIN TILE · RECTIFIED · MATT FINISH



EBONY BROWN
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X60cm
¥22,950



30X60cm
¥19,200



60X120cm
¥26,550

COLORS AVAILABLE



CREAM

BROWN

LIGHT

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

FORMATS



60X60cm
¥22,950



30X60cm
¥19,200



60X120cm
¥26,550

COLORS AVAILABLE



CREAM

GREY

LIGHT

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm




REGAL

WALL TILE: REGAL 30X60cm FLOOR TILE: REGAL 60X60cm



FORMATS



60X60cm
¥22,950



30X60cm
¥19,200



60X120cm
¥26,550

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm



FLOOR TILE: REGAL 60X60cm




FLOOR TILE: CALACATTA 60X60cm

CALACATTA
PORCELAIN TILE · RECTIFIED · SATIN FINISH



FORMATS



60X60cm
¥22,950

30X60cm
¥19,200

60X120cm
¥26,550

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm



ONYX ROYALE

ONYX ROYALE PORCELAIN TILE · RECTIFIED · SATIN FINISH




FORMATS



60X60cm
₺22,950



30X60cm
₺19,200



60X120cm
₺26,550

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm



STONE
SERIES


RIVER
SMOKE




RIVER

FLOOR TILE: RIVER GREY 60X60cm


RIVER GREY
PORCELAIN TILE · RECTIFIED · MATT FINISH



RIVER ANTHRACITE
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X60cm
¥22,950

30X60cm
¥19,200

COLORS AVAILABLE



ANTHRACITE


BROWN

SAND

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm


FORMATS



60X60cm
¥22,950

30X60cm
¥19,200

COLORS AVAILABLE



GREY

BROWN

SAND


TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm


RIVER SAND
PORCELAIN TILE · RECTIFIED · MATT FINISH



RIVER BROWN
PORCELAIN TILE · RECTIFIED · MATT FINISH




FORMATS



60X60cm
¥22,950

30X60cm
¥19,200

COLORS AVAILABLE



ANTHRACITE


GREY

BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm


FORMATS



60X60cm
¥22,950

30X60cm
¥19,200

COLORS AVAILABLE



ANTHRACITE

GREY

SAND

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm




S M O K E

FLOOR TILE: SMOKE GREY 60X60cm

SMOKE BEIGE
PORCELAIN TILE · RECTIFIED · MATT FINISH




FORMATS



60X60cm
¥22,950

30X60cm
¥19,200

COLORS AVAILABLE



GREY

BROWN


TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

SMOKE GREY
PORCELAIN TILE · RECTIFIED · MATT FINISH




FORMATS



60X60cm
¥22,950

30X60cm
¥19,200

COLORS AVAILABLE



BEIGE

BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm




FLOOR TILE: SMOKE GREY 60X60cm

SMOKE BROWN
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X60cm
¥22,950

30X60cm
¥19,200

COLORS AVAILABLE



GREY

BEIGE

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm



CONCRETE
SERIES

PEBBLE



PEBBLE

FLOOR TILE: PEBBLE GREY 60X60cm




FLOOR TILE: PEBBLE GREY 60X60cm

PEBBLE GREY
PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X60cm
₺22,950

30X60cm
₺19,200

COLORS AVAILABLE



SAND

BROWN


TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

PEBBLE SAND
PORCELAIN TILE · RECTIFIED · MATT FINISH




FORMATS



60X60cm
¥22,950

30X60cm
¥19,200

COLORS AVAILABLE




GREY

BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm

PEBBLE BROWN
PORCELAIN TILE · RECTIFIED · MATT FINISH




FORMATS



60X60cm
¥22,950

30X60cm
¥19,200

COLORS AVAILABLE



GREY

SAND

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm



COLOR
SERIES


BASE



FLOOR TILE: **BASE WHITE** 60X60cm · WALL TILE **BASE WHITE** 30X60cm



FORMATS



60X60cm
₺22,950

30X60cm
₺19,200

COLORS AVAILABLE



BASE WHITE

BASE BEIGE

BASE GREY

TECHNICAL SPECS

TECHNICAL SPECS

Shade Variation : V1 Uniform
Thickness : 10 mm

TECHNICAL FEATURES Bla Group · Porcelain

STANDARD	TEST	ISO 13006:2018	VERAMIS VALUES
ISO 10545-2	Lenght and width	Deviation from manufacturing measure: Rectified: ± 0.3% Máx 1mm	± 0.1%
	Thickness	Deviation from manufacturing measure: ± 5% Máx 0.5mm	± 5%
	Straightness of sides	Deviation from manufacturing measure: Rectified: ± 0.3% Máx 0.8mm	± 0.1%
	Squareness	Deviation from manufacturing measure: Rectified: ± 0.3% Máx 1.5mm	± 0.1%
	Surface flatness side curvature, central curvature, warpage	Deviation from manufacturing measure: Rectified: ± 0.4% Máx 1.8mm	± 0.2%
ISO 10545-3	Water Absorption	Ev ≤ 0.5 %	Ev ≤ 0.5 %
ISO 10545-4	Module of rupture	≥ 35 N/mm ²	≥ 35 N/mm ²
	Breaking strenght	>1300 N	≥ 2000 N
ISO 10545-6	Resistance to abrasion	Class 1 to 5	Class 3 minimum
ISO 10545-8	Thermal expansion coefficient	Manufacturer to state results	≤ 9 x 10 ⁻⁶ / °C
ISO 10545-9	Thermal shock resistance	Required	Resistant
ISO 10545-11	Crazing resistance	Required	Resistant
ISO 10545-12	Frost resistance	Required	Resistant
ISO 10545-13	Household detergents and acids for swimming-pools	Class B Min.	Class B Min.
ISO 10545-14	Resistance to staining	Class 3 Minimum	Class 3 Minimum

SLIP RESISTANCE ACCORDING TO ANNEX B OF STANDARD EN 16165:2022

Many European flooring manufacturers use tests like the ramp test to rate their products according to their slip resistance. These tests are generally conducted using Annex B of standard EN 16165: 2022. With this method, a person walks backwards and forwards on an impregnated ramp-type floor used as a test bench. The angle of the ramp is gradually increased until the person slips. The average angle at which the person slips is used to calculate the CoF (coefficient of friction). Annex B of EN 16165: 2022 uses safety boots and engine oil as a substance to impregnate the surface to be tested, which are described in the standard itself.

Ramp method (DIN 51130)	
Total mean value of slip angle	Rating
6° <= Angle <= 10°	R9
10° < Angle <= 19°	R10
19° < Angle <= 27°	R11
27° < Angle <= 35°	R12
35° <= Angle	R13


PACKING

SIZE	SQM/BOX	BOXES/PALET	SQM/PALLET	KG/PALET
30X60	1.44	54	77.76	1890.00
60X60	1.44	30	43.20	1058.30
60X120	1.44	33	47.50	1260.00

ICON DEFINITION



SHADE VARIATION VALUE



TRENDBOOK

VERAMIS reserves the right to amend and/or eliminate certain models featured in this catalogue without prior warning. The colours of the tiles may differ from the originals.

The displays shown in this catalogue are design proposals for advertising purposes. When the material is used in real situations, the installation instructions published by VERAMIS should be followed.

VERAMIS reserves the right to change the characteristics of its products without prior notice.

Information about the finishes of the goods is only provided as a guide. As a result of the printing techniques, there might be differences between the colours printed in this catalogue and those of the real products.

Colours shown in this catalogue are not contractual. The images are for illustration purpose only and are subject to the designers interpretation.

This catalogue is for information purposes only.

FACTORY

*Km 3.7 Sagamu-Abeokuta Expressway, Industrial Scheme 110105, Ogun State, Nigeria.
T: +234 809 037 1913 E: info@veenocks.ng Whatsapp: +234 909 888 9027*