veramis™

PORCELAIN TILES

LAUNCHBOOK

VERAMIS LaunchBook is a careful selection of our nature-inspired collections: marble, stone and concrete. With a variety of formats, our tiles can be used on indoor floors and walls, exterior walls and covered areas.

veramis
PORCELAIN TILES



INDEX
PRODUCT

MARBLE	STONE	CONCRETE	BASE
EBONY	RIVER	PEBBLE	WHITE
REGAL	SMOKE		BEIGE
CALACATTA			GREY
ONYX ROYALE			

veramis
PORCELAIN TILES

MARBLE
SERIES

EBONY
REGAL
CALACATTA
ONYX ROYALE

FLOOR TILE: **EBONY LIGHT** 60X60cm

EBONY

EBONY CREAM

PORCELAIN TILE · RECTIFIED · SATIN FINISH

FORMATS

60X60cm
~~₦~~22,950/m²

30X60cm
~~₦~~19,200/m²

60X120cm
~~₦~~26,550/m²

COLORS AVAILABLE

LIGHT GREY BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

EBONY LIGHT

PORCELAIN TILE · RECTIFIED · SATIN FINISH

FORMATS

60X60cm
~~₦~~22,950/m²

30X60cm
~~₦~~19,200/m²

60X120cm
~~₦~~26,550/m²

COLORS AVAILABLE

CREAM BROWN GREY

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

EBONY GREY

PORCELAIN TILE · RECTIFIED · SATIN FINISH

FORMATS



60X60cm
~~₦22,950~~/m²

30X60cm
~~₦19,200~~/m²

60X120cm
~~₦26,550~~/m²

COLORS AVAILABLE

CREAM BROWN LIGHT

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

EBONY BROWN

PORCELAIN TILE · RECTIFIED · SATIN FINISH

FORMATS

60X60cm
~~₦22,950~~/m²

30X60cm
~~₦19,200~~/m²

60X120cm
~~₦26,550~~/m²

COLORS AVAILABLE



CREAM GREY LIGHT

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

REGAL

WALL TILE: **REGAL** 30X60cm FLOOR TILE: **REGAL** 60X60cm

REGAL

PORCELAIN TILE · RECTIFIED · SATIN FINISH

FORMATS

60X60cm
~~₦~~22,950/m²

30X60cm
~~₦~~19,200/m²

60X120cm
~~₦~~26,550/m²

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

FLOOR TILE: **REGAL** 60X60cm

FLOOR TILE: **CALACATTA** 60X60cm

CALACATTA

PORCELAIN TILE · RECTIFIED · SATIN FINISH

FORMATS



60X60cm
~~₦~~22,950/m²

30X60cm
~~₦~~19,200/m²

60X120cm
~~₦~~26,550/m²

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

ONYX ROYALE

ONYX ROYALE

PORCELAIN TILE · RECTIFIED · SATIN FINISH

FORMATS



60X60cm
₦22,950/m²

30X60cm
₦19,200/m²

60X120cm
₦26,550/m²

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

STONE
SERIES

RIVER

SMOKE

RIVER

FLOOR TILE: **RIVER GREY** 60X60cm

RIVER GREY

PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS

60X60cm
~~₦~~22,950/m²

30X60cm
~~₦~~19,200/m²

60X120cm
~~₦~~26,550/m²

COLORS AVAILABLE

ANTHRACITE BROWN SAND

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

RIVER ANTHRACITE

PORCELAIN TILE · RECTIFIED · MATT FINISH

FORMATS

60X60cm
~~₦~~22,950/m²

30X60cm
~~₦~~19,200/m²

60X120cm
~~₦~~26,550/m²

COLORS AVAILABLE

GREY BROWN SAND

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

RIVER SAND

PORCELAIN TILE · RECTIFIED · MATT FINISH

FORMATS

60X60cm
₦22,950/m²

30X60cm
₦19,200/m²

60X120cm
₦26,550/m²

COLORS AVAILABLE

ANTHRACITE GREY BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

RIVER BROWN

PORCELAIN TILE · RECTIFIED · MATT FINISH

FORMATS

60X60cm
₦22,950/m²

30X60cm
₦19,200/m²

60X120cm
₦26,550/m²

COLORS AVAILABLE

ANTHRACITE GREY SAND

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

SMOKE

FLOOR TILE: **SMOKE GREY** 60X60cm

SMOKE BEIGE

PORCELAIN TILE · RECTIFIED · MATT FINISH

FORMATS

60X60cm
₦22,950/m²

30X60cm
₦19,200/m²

60X120cm
₦26,550/m²

COLORS AVAILABLE

GREY

BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

SMOKE GREY

PORCELAIN TILE · RECTIFIED · MATT FINISH

FORMATS

60X60cm
₦22,950/m²

30X60cm
₦19,200/m²

60X120cm
₦26,550/m²

COLORS AVAILABLE

BEIGE

BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

FLOOR TILE: **SMOKE GREY** 60X60cm

SMOKE BROWN

PORCELAIN TILE · RECTIFIED · MATT FINISH

FORMATS

60X60cm
~~₦~~22,950/m²

30X60cm
~~₦~~19,200/m²

60X120cm
~~₦~~26,550/m²

COLORS AVAILABLE

GREY BEIGE

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

CONCRETE

SERIES

PEBBLE

PEBBLE

FLOOR TILE: **PEBBLE GREY** 60X60cm

FLOOR TILE: **PEBBLE GREY** 60X60cm

PEBBLE GREY

PORCELAIN TILE · RECTIFIED · MATT FINISH

FORMATS

60X60cm
₦22,950/m²

30X60cm
₦19,200/m²

60X120cm
₦26,550/m²

COLORS AVAILABLE

SAND

BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

PEBBLE SAND

PORCELAIN TILE · RECTIFIED · MATT FINISH

FORMATS



60X60cm
₦22,950/m²

30X60cm
₦19,200/m²

60X120cm
₦26,550/m²

COLORS AVAILABLE



GREY

BROWN

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

PEBBLE BROWN

PORCELAIN TILE · RECTIFIED · MATT FINISH



FORMATS



60X60cm
₦22,950/m²

30X60cm
₦19,200/m²

60X120cm
₦26,550/m²

COLORS AVAILABLE



GREY

SAND

TECHNICAL SPECS

Shade Variation : V2 Light
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

COLOR
SERIES

BASE

FLOOR TILE: **BASE WHITE** 60X60cm · WALL TILE **BASE WHITE** 30X60cm

BASE

PORCELAIN TILE · RECTIFIED · SATIN FINISH

FORMATS

60X60cm
~~₦~~22,950/m^2

30X60cm
~~₦~~19,200/m^2

60X120cm
~~₦~~26,550/m^2

COLORS AVAILABLE

BASE WHITE · BASE BEIGE · BASE GREY

TECHNICAL SPECS

Shade Variation : V1 Uniform
Slippage EN standard : R9
Thickness : 10 mm · 11 mm for 60X120

TECHNICAL FEATURES
Bla Group · Porcelain

STANDARD	TEST	ISO 13006:2018		VERAMIS VALUES
ISO 10545-2	Length and width	Deviation from manufacturing measure:	Rectified: ± 0.3% Max 1mm	± 0.1%
	Thickness	Deviation from manufacturing measure:	± 5% Max 0.5mm	± 5%
	Straightness of sides	Deviation from manufacturing measure:	Rectified: ± 0.3% Max 0.8mm	± 0.1%
	Squareness	Deviation from manufacturing measure:	Rectified: ± 0.3% Max 1.5mm	± 0.1%
	Surface flatness side curvature, central curvature, warpage	Deviation from manufacturing measure:	Rectified: ± 0.4% Max 1.8mm	± 0.2%
ISO 10545-3	Water Absorption	Ev ≤ 0.5 %		Ev ≤ 0.5 %
ISO 10545-4	Modulus of rupture	≥ 35 N/mm²		≥ 35 N/mm²
	Breaking strength	>1300 N		≥ 2000 N
ISO 10545-6	Resistance to abrasion	Class 1 to 5		Class 3 minimum
ISO 10545-8	Thermal expansion coefficient	Manufacturer to state results		≤ 9 x 10⁶ / °C
ISO 10545-9	Thermal shock resistance	Required		Resistant
ISO 10545-11	Crazing resistance	Required		Resistant
ISO 10545-12	Frost resistance	Required		Resistant
ISO 10545-13	Household detergents and acids for swimming-pools	Class B Min.		Class B Min.
ISO 10545-14	Resistance to staining	Class 3 Minimum		Class 3 Minimum

SLIP RESISTANCE ACCORDING TO ANNEX B OF STANDARD EN 16165:2022

Many European flooring manufacturers use tests like the ramp test to rate their products according to their slip resistance. These tests are generally conducted using Annex B of standard EN 16165: 2022. With this method, a person walks backwards and forwards on an impregnated ramp-type floor used as a test bench.
The angle of the ramp is gradually increased until the person slips. The average angle at which the person slips is used to calculate the CoF (coefficient of friction). Annex B of EN 16165: 2022 uses safety boots and engine oil as a substance to impregnate the surface to be tested, which are described in the standard itself.

Ramp method (DIN 51130)

Total mean value of slip angle	Rating
6° <= Angle <= 10°	R9
10° < Angle <= 19°	R10
19° < Angle <= 27°	R11
27° < Angle <= 35°	R12
35° <= Angle	R13

PACKING

SIZE	SQM/BOX	BOXES/PALLET	SQM/PALLET	KG/PALLET
30X60	1.44	54	77.76	1890.00
60X60	1.44	30	43.20	1058.30
60X120	1.44	33	47.50	1260.00

ICON DEFINITION

PORCELAIN TILES
MATT FINISH
RELIEF
RECTIFIED
GLOSS FINISH
SATIN FINISH

SHADE VARIATION VALUE

V1 UNIFORM — *Non visible color variation.*

V2 LIGHT — *Light color variation.*

V3 MODERATE — *Moderate color variation.*

V4 EXTENSIVE — *Extensive color variation.*

LAUNCHBOOK

VERAMIS reserves the right to amend and/or eliminate certain models featured in this catalogue without prior warning. The colours of the tiles may differ from the originals.
The displays shown in this catalogue are design proposals for advertising purposes. When the material is used in real situations, the installation instructions published by VERAMIS should be followed.

VERAMIS reserves the right to change the characteristics of its products without prior notice.

Information about the finishes of the goods is only provided as a guide. As a result of the printing techniques, there might be differences between the colours printed in this catalogue and those of the real products.

Colours shown in this catalogue are not contractual. The images are for illustration purpose only and are subject to the designer's interpretation.

This catalogue is for information purposes only.

FACTORY
Km 3.7 Sagamu-Abeokuta Expressway, Industrial Scheme 110105, Ogun State, Nigeria.
T: +234 809 037 1913 E: info@veenocks.ng WhatsApp: +234 909 888 9027

Veramis Porcelain Tiles is a brand of Veenocks Limited.